Ruby Stories 2

- Wifi pass: kabinet345
- harmonogram
- žetony
- ukončení

Social Aspect of Code Reviews

David Hrachovy
PrimeHammer

About me

- Co-founder Hlidacky.cz
- Founder PrimeHammer






What we won't talk about

- Why do code reviews, I assume you do
- Pull Request (PR) short vs long









What we won't talk about

- Tools for code versioning and managing
- How many reviewers
- What should be in the code (tests, comments) etc.
-

Use case - Pull requests on Github



0

ondulajs reviewed 6 days ago

View changes

```
Hide outdated
app/models/sitter/rating_best_match.rb
                  sitter.messages.parent_reply.where(created_at: range).pluck(:parent_id
       100
             + end
       101
       102
             + def last visit?(time)
      ondulajs 6 days ago
      máme to správně? není to obráceně?
      Reply...
```

The problem with text communication

- Lack of emotions (mood of author)
- "Anonymity"
- It's slow

What do we want to achieve

- friendly work environment and efficiency
- Reduce employee turnover rate



Praise

Reward for invested energy

Thanks / thumbs up
/ gif / video



erich commented on the diff on 25 Nov 2015

Praise

```
lib/acts_as_has_role.rb
                                                                            View full changes
         24
                   define method :method missing do | meth name, *args |
                     # If we're being queried about a role, e.g.
                         User.find(3).role_superadmin?
         26
                     # then look to see if this user holds that role and respond w a boole
         28
                     # Else escalate to super.
         29
         30
                     if meth_name.match(/role_(.*)\?/)
         31
                       return self.roles.to_a.map(&:name).include?($1)
         32
                     else
         33
                       super(meth_name, *args)
         34
                     end
         35
                   end # method missing
         36
         37
                   define method :add role do |role|
                     self.roles << role unless self.roles.include?(role)</pre>
         38
```



erich added a note on 25 Nov 2015









Add a line note

Praise



Principle of reciprocity

- You expect something back for a favor
- Praise -> be praised
- Help and someone will help you -- github, slack, pair programming
- How much do you give?
- Instant karma



Let the Flame War Begin!

Avoid long conversations

- PR is not a place for conversations use Slack, Skype
- Keep it to 4 comments
- Closing PR

How to post critic

 avoid negative emotions, you don't always know each other
 Unless you can afford it

Linux creator Linus Torvalds had a meltdown over a pull request, and it was awesome

Tell me why. Because I'm not pulling this kind of completely insane stuff that generates conflicts at rc7 time, and that seems to have absolutely no reason for being anm idiotic unreadable mess.

The code seems *designed* to use that new "overflow_usub()" code. It seems to be an excuse to use that function.

And it's a f*cking bad excuse for that braindamage.


I'm sorry, but we don't add idiotic new interfaces like this for idiotic new code like that.


• • •


Get rid of it. And I don't *ever* want to see that shit again.

How to post critic

Be polite, ask questionsYou may be wrong









erich commented on app/models/parent.rb in 500b537 19 days ago






jak by rekl klasik, my eyes are bleeding co takhle aspon concern?

How to post critic

Use humour




Add a line note

Critique the code not the author

Avoid using the words "you" and "your", say, "the" changes instead.

Did I miss something? [...] Why is that?

Examples in open source projects - MATZ, mruby



Examples in open source projects - DHH, rails





Examples in open source projects - DHH, rails



```
dhh commented on 20 Jan • edited
                                                                                    Member
I'm quite sympathetic to this. If you gave me the choice between:
  let(:today) { 2.weeks.since(customer_start_date) }
  let(:earlier_date) { 5.days.until(today) }
And
  let(:today) { 2.weeks.after(customer start date) }
  let(:earlier_date) { 5.days.before(today) }
I'd say the latter requires far less mental gymnastics to read. And I think that's a good example of the
strength of alias. It allows us to bend the same instructions to read the most natural in more
instances.
```



Examples in open source projects - DHH, rails




dhh commented on 7 Dec 2016

Member



@nathanmarks Thanks for your considerations. Good to have all this spelled out when we evaluate the current approach a bit further down the line. We're indeed using \$NODE_PATH and I currently consider that to be a fully justified use. But as stated earlier: This isn't set in stone. We're going to try it for real and make it work, but if we can't, we'll reconsider. Let's resume this discussion in a month or two. In the mean time, eager to have everyone's help improving things.

#27288 is now available.



Summary

- Praise
- code won't be perfect ever
- Don't spend much time in conversations
- Matz and DHH are nice, be nice too.
- Critique the code not the author

References

- http://dootrix.com/code-reviews-code-conversations/
- http://softwareengineering.stackexchange.com/questions/333853/how-to-find-po sitive-things-in-a-code-review
- https://www.slideshare.net/vstratus/how-not-to-run-code-reviews
- https://speakerdeck.com/emmajane/peer-code-reviews

Thanks!

Any questions?
What is your experience?

You can find me at:

david@primehammer.com